	QTY	QTY	PART NUMBER	DESCRIPTION							<u>'</u>		
	-041	-043			<u>/G</u> \								
4	Х		D2590-041	SKIDTUBE ASSEMBLY									
1		Х	D2590-043	SKIDTUBE ASSEMBLY		GENERAL NOTES:							
2	1	1	D2500-1-190	EXTRUSION		1) MATERIAL: N/A							
3		16	D2570	BUSHING		2) FINISH: CHEMICAL CO	NVERSION PER DART QSI	005 4.1 PRIOR TO	INSERTING D25	97 WEB			
4	1	1	D2576-3	STEP		POWDER COA	T ASSEMBLY GLOSS WHITE	E 4.3.5.1 PER DART	Γ QSI 005 4.3				
5	10	4	D2594-1	PLUG			KID PAINT AS INDICATED PI R DART QSI 018 UNLESS O						
6	10	4	D2594-3	O-RING			SS OTHERWISE NOTED.	JIIILKWIOL NOTEL	J.				
7	11	1	D2597	204 WEB		5) BREAK SHARP EDGES							
8	1	1	D2855	AFT CAP		6) IDENTIFICATION: NON7) WEIGHT: D2590-041 =							
9	1		D3564-7	WEARSHOE	/G\	D2590-043 =							
10	1		D3564-9	WEARSHOE		² 8) WELDING PER DART (
11	1		D3564-11	WEARSHOE			D LOCATION SHOWN OFF A DN-STRUCTURAL SIKAFLEX						
12	1		D3564-13	WEARSHOE		BENDING. ENSURE HO	DLES LINE-UP.						
13	17	22	D4202-1	SPACER		10) BEND AS A SMOOTH F	RADIUS STARTING WITH A M	MAXIMUM CENTER	RLINE RADIUS C	F 60 AND			
14		1	D4408-041	WEARPLATE ASSEMBLY			IUM RADIUS OF 30. A MAXII ENT PORTION OF THE TUBI		OF 0.200 IN DIA	METERIS			
15		1	D4408-043	WEARPLATE ASSEMBLY		11) USE DART DRILL TEM			ATE AND DRILL	Ø0.297			
16	44		ALS7-1032-130	INSERT		HOLES FOR WEARSHO	DE INSERTS. INSTALL ALS7	7-1032-130 PER SEC	CTION B-B (44 F	PLACES)			
			or AKS7-1032-130			AFTER FINISH. INSTA 291.	LL AN3C4A BOLTS AND NAS	S1149C0332R WAS	HERS WITH SI	AFLEX-241/-			
			or AKS4-1032-130			12) INSERT D2594-1 PLUG	C/W D2594-3 O-RING IN HO	OLES MARKED 'P' (BOTH SIDES O	TUBE)			
			or AELS-1032-130			AFTER FINISH (10 PLA	CES FOR D2590-041 AND 8	PLACES FOR D259	90-043).	•			
17	44		AN3C4A	BOLT		13) IT IS ACCEPTABLE TO WITH THE SPACER AT		2855 AFT CAP TO P	PREVENT INTER	RFERENCE			
18	2	2	AN3-5A	BOLT		WITH THE SPACERAL	THIS LOCATION.						
19		8	AN4-45A	BOLT									
20	44		NAS1149C0332R	WASHER (AN960C10L)									
21	2	2	NAS1149D0332J	WASHER (AN960JD10L)									
22		8	MS21042-4	NUT (OR MS21042L4)									
								i	l eucc	T4 - DI DELE	TE D2506 4/ 7/ 42 CACVETO		<u></u>
									G WEIG	HTS UPDATED	TE D3566-1/-7/-13 GASKETS, D ACCORDINGLY. SHEET 2 E FOR REMOVAL OF GASKETS	SAD	18.12.14
									G WEIG	HTS UPDATEI DRIAL UPDATE	D ACCORDINGLY. SHEET 2		
									G WEIG PICTO F INCO	HTS UPDATED DRIAL UPDATE RPORATE DEC D2590-043; DT	D ACCORDINGLY. SHEET 2 E FOR REMOVAL OF GASKETS	DC .1); _{BE}	13.06.20
									G WEIG PICTO F INCO E ADD I REFO	HTS UPDATED DRIAL UPDATE RPORATE DEC D2590-043; DTO RMATTED DR	D ACCORDINGLY. SHEET 2 E FOR REMOVAL OF GASKETS O D2590-E-1 PER PAR12-218 8218 WAS TD2577-204 (ZN C4 EAWING TO CURRENT STAND EARPLATES AND GASKETS,	DC .1); _{BE}	13.06.20
									G WEIG PICTO F INCO E ADD I REFO	HTS UPDATED PRIAL UPDATE RPORATE DEC 22590-043; DTO RMATTED DR IGE TO SS WE JDE DEO 9124	D ACCORDINGLY. SHEET 2 E FOR REMOVAL OF GASKETS O D2590-E-1 PER PAR12-218 8218 WAS TD2577-204 (ZN C4 EAWING TO CURRENT STAND EARPLATES AND GASKETS,	DC -1); RF	13.06.20 11.06.21 07.04.05
									G WEIG PICTO F INCO E ADD I REFO	HTS UPDATED PRIAL UPDATE RPORATE DEC 22590-043; DTO RMATTED DR IGE TO SS WE JDE DEO 9124	D ACCORDINGLY. SHEET 2 E FOR REMOVAL OF GASKETS O D2590-E-1 PER PAR12-218 8218 WAS TD2577-204 (ZN C4 AWING TO CURRENT STANDA EARPLATES AND GASKETS, DED DEO 9094/9097	DC 1); RF PH	13.06.20 11.06.21 07.04.05 98.08.28
									G WEIG PICTO F INCO E ADD I REFO	HTS UPDATED PRIAL UPDATE PROPORATE DEC 25590-043; DTO RMATTED DR IGE TO SS WE JDE DEO 9124 AWN, INCLUD ANUFACTURE	D ACCORDINGLY. SHEET 2 E FOR REMOVAL OF GASKETS O D2590-E-1 PER PAR12-218 8218 WAS TD2577-204 (ZN C4 AWING TO CURRENT STANDA EARPLATES AND GASKETS, DED DEO 9094/9097	DC -1); RF ARDS PH CP	18.12.14 13.06.20 11.06.21 07.04.05 98.08.28 96.12.02 96.09.16
									G WEIG PICTO F INCO E ADD I REFO D CHAN INCLU C REDF B AS M.	HTS UPDATED PRIAL UPDATE PROPATE DEC PROPATE DEC PRIAL UPDATE PRIAL UP	D ACCORDINGLY. SHEET 2 E FOR REMOVAL OF GASKETS O D2590-E-1 PER PAR12-218 8218 WAS TD2577-204 (ZN C4 AWING TO CURRENT STANDA EARPLATES AND GASKETS, DED DEO 9094/9097	DC -1); RF ARDS PH CP DS	13.06.20 11.06.21 07.04.05 98.08.28 96.12.02
							RELEAS	SED	G WEIG PICTO F INCO E ADD I REFO D CHAN INCLU C REDE B AS M. A NEW	HTS UPDATED PRIAL UPDATE PROPATE DEC PROPATE DEC PRIAL UPDATE PRIAL UP	D ACCORDINGLY. SHEET 2 E FOR REMOVAL OF GASKETS D D2590-E-1 PER PAR12-218 8218 WAS TD2577-204 (ZN C4 AWING TO CURRENT STAND EARPLATES AND GASKETS, DED DEO 9094/ 9097 D DESCRIPTION	DC ARDS PH CP DS DS BY	13.06.20 11.06.21 07.04.05 98.08.28 96.12.02 96.09.16 DATE
									G WEIG PICTO F INCO E ADD I REFO D CHAN INCLU C REDFO B AS MA A NEW REV.	HTS UPDATED DRIAL UPDATE DRIAL	D ACCORDINGLY. SHEET 2 E FOR REMOVAL OF GASKETS O D2590-E-1 PER PAR12-218 8218 WAS TD2577-204 (ZN C4 AWING TO CURRENT STAND EARPLATES AND GASKETS, DED DEO 9094/9097	DC -1); ARDS PH CP DS DS BY DSPACE	13.06.20 11.06.21 07.04.05 98.08.28 96.12.02 96.09.16 DATE
									G WEIG PICTO F INCO E ADD I REFO D CHAN INCLU C REDFO B AS MA A NEW REV. DESIGN	HTS UPDATED DRIAL UPDATE RPORATE DEC D2590-043; DTO RMATTED DR IGE TO SS WE JDE DEO 9124 AWN, INCLUD ANUFACTURE ISSUE	D ACCORDINGLY. SHEET 2 E FOR REMOVAL OF GASKETS O D2590-E-1 PER PAR12-218 8218 WAS TD2577-204 (ZN C4 AWING TO CURRENT STAND EARPLATES AND GASKETS, DED DEO 9094/9097 D DESCRIPTION DART AERC	DC -1); ARDS PH CP DS DS BY DSPACE	13.06.20 11.06.21 07.04.05 98.08.28 96.12.02 96.09.16 DATE LTD
							PELEAS 2018 DEC		G WEIG PICTO F INCO E ADD I REFO D CHAN INCLU C REDR B AS M. A NEW REV. DESIGN DRAWN CHECKED	HTS UPDATED DRIAL UPDATE DRIAL	D ACCORDINGLY. SHEET 2 E FOR REMOVAL OF GASKETS D D2590-E-1 PER PAR12-218 8218 WAS TD2577-204 (ZN C4 AWING TO CURRENT STANDA EARPLATES AND GASKETS, DED DEO 9094/9097 D DESCRIPTION DART AERC HAWKESBURY, C	DC 1); RF PH CP DS DS BY DSPACE INTARIO, CANA	13.06.20 11.06.21 07.04.05 98.08.28 96.12.02 96.09.16 DATE LTD ADA
									G WEIG PICTO F INCO E ADD I REFO D CHAN INCLU C REDFO B AS MA A NEW REV. DESIGN DRAWN CHECKED MFG. APPR.	HTS UPDATED DRIAL UPDATE DRIAL	D ACCORDINGLY. SHEET 2 E FOR REMOVAL OF GASKETS O D2590-E-1 PER PAR12-218 8218 WAS TD2577-204 (ZN C4 AWING TO CURRENT STAND EARPLATES AND GASKETS, DED DEO 9094/9097 D DESCRIPTION DART AERC HAWKESBURY, C DRAWING NO. D2590	DC 1); RF PH CP DS DS BY DSPACE INTARIO, CANA	13.06.20 11.06.21 07.04.05 98.08.28 96.12.02 96.09.16 DATE LTD ADA REV. 0
									G WEIG PICTO F INCO E ADD I REFO D CHAN INCLU C REDE B AS M. A NEW REV. DESIGN DRAWN CHECKED MFG. APPR. APPROVED	HTS UPDATED DRIAL UPDATE DRIAL	D ACCORDINGLY. SHEET 2 E FOR REMOVAL OF GASKETS D D2590-E-1 PER PAR12-218 8218 WAS TD2577-204 (ZN C4 AWING TO CURRENT STAND EARPLATES AND GASKETS, DED DEO 9094/9097 D DESCRIPTION DART AERC HAWKESBURY, C DRAWING NO. D2590 TITLE	DC -1); RF ARDS PH CP DS DS BY OSPACE INTARIO, CAN	13.06.20 11.06.21 07.04.05 98.08.28 96.12.02 96.09.16 DATE LTD ADA REV. (SHEET 1 OF
									G WEIG PICTO F INCO E ADD I REFO D CHAN INCLU C REDF B AS MA A NEW REV. DESIGN DRAWN CHECKED MFG. APPR. APPROVED DE APPR.	HTS UPDATED DRIAL UPDATE DRIAL	D ACCORDINGLY. SHEET 2 E FOR REMOVAL OF GASKETS O D2590-E-1 PER PAR12-218 8218 WAS TD2577-204 (ZN C4 AWING TO CURRENT STAND EARPLATES AND GASKETS, DED DEO 9094/9097 D DESCRIPTION DART AERC HAWKESBURY, C DRAWING NO. D2590	DC 1); RF ARDS PH CP DS DS BY DSPACE INTARIO, CANA MBLY DART AEROSPACE	13.06.20 11.06.21 07.04.05 98.08.28 96.12.02 96.09.16 DATE LTD ADA REV. (SHEET 1 OF SCAL NT









